

Liebherr refrigeration can be found at your specialist retailer, where you will get excellent service and advice.



All the information you need on Liebherr appliances can be found in our main brochures. Our specialist brochures contain additional information on our wine storage fridges, BioFresh appliances and NoFrost freezers.

Your dealer will be happy to help you choose the right product for your needs.



Liebherr Domestic Appliances - Online Advice


The current Liebherr range of upright and built-in refrigerators and freezers is available at www.liebherr.com, where you can also download or order brochures. The site can also guide you to the appliance to suit your personal needs.



Modifications reserved. Printed in Germany by MZA. 6463/6/3.09



Side-by-Side Special 2009



Liebherr Coolelectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 0HA
National Salesline 08444 122655 • National Free Fax 0800 197 6591
Email sales@coolelectric.co.uk • Web www.liebherr.com

LIEBHERR

Design, Quality & Innovation

Side-by-Side fridge-freezers Large capacity food storage centers

Healthy food is the current trend in the modern kitchen. The Liebherr Side-by-Side appliances are the ideal solution for freshness on a grand scale. They offer ample space for large food stocks with various climate zones for perfect food storage. When refrigerating large stocks of food you have the choice of refrigerator, BioFresh, Freezer, Wine climate zone and IceMakers. The exclusive design makes Liebherr Side-by-Side combinations the focal point of any kitchen.

Refrigeration

A spacious refrigerator compartment with an adjustable temperature range from +3 °C to +9 °C ensures freshness every day.

BioFresh

At a temperature of just over 0 °C, large quantities of food, such as meat, fish, fruit, vegetables and dairy products, can be stored in the spacious BioFresh safes three times longer than in a conventional refrigerator compartment.

Freezing

The NoFrost freezer compartment with automatic IceMaker offers a continuous supply of ice. Food is frozen with refrigerated re-circulated air and the humidity is dissipated. This keeps the freezer compartment free of ice preventing the food from frosting over. Defrosting is no longer necessary.

Multi-temperature wine compartment

The multi-temperature wine compartment has two independently adjustable zones for storing wine at the exact temperature required, between +5 °C and +20 °C. Red wines, white wines and champagne can be stored together at their individual optimum drinking temperatures.





The **BioFresh safes** guarantee the perfect climate for preserving fresh food. At a temperature of just over 0°C with ideal humidity, fruit, vegetables, meat and fish retain their healthy vitamins. Their delicate aroma and their appetising appearance last up to three times longer than in conventional refrigerator compartments.



The **SoftSystem** integrated in the door cushions the movement when the door is closed and ensures gentle closing even when the inside of

the door is fully stocked. The door automatically closes from an angle of approx. 45°.



The precise **premium electronics behind the door** with the innovative Touch-electronic control concept means that the selected temperatures are maintained to the exact degree. All the functions can be simply and conveniently operated in the LCD display with the touch of a finger on the Touch-electronic panel.



The new Side-by-Side combination SBSes 7155 with five different climate zones offers a range of innovative solutions. The **wine compartment** has two independently adjustable zones for storing wine at the exact temperature required, between +5°C and +20°C.



The BioFresh models of the PremiumPlus range are characterised by **two LED light columns** integrated in the compartment.

Both sides of the light columns house several LEDs, giving even illumination across the entire refrigerator compartment.



The **NoFrost** appliances offer professional quality freezing for reliable long-term freshness. Food is frozen with refrigerated re-circulated air and the humidity is dissipated. This keeps the freezer compartment free of ice preventing the food from frosting over. NoFrost convenience makes defrosting a thing of the past.

The new food centre CNeS 6256

A perfect example to illustrate this point is the CNeS 6256, the new 91cm wide food centre. With the elegant French door concept featuring independently opening stainless steel doors, robust aluminium handles. The CNeS 6256 food centre creates a

stunning visual impact in any kitchen environment. As the doors open, the interior also reveals a host of innovative ideas, LED lighting, three pull-out vegetable bins mounted on telescopic rails and an automatic IceMaker in the freezer compartment.



The elegant **MagicEye control** system with the innovative, user-friendly **Touch-electronic** feature ensures that the temperature in the refrigerator compartment and freezer compartment is kept to exactly the degree chosen. All the functions can be simply and conveniently operated at the touch of a finger.



The PremiumPlus interior features **LED light columns** integrated on either side of the compartment liner, ensuring that the interior is evenly bathed in light to create a unique and dramatic effect within the appliance. At the same time the light columns provide freedom for rearranging the glass shelves to suit your storage needs.

91 cm-wide combined fridge-freezer with NoFrost

Gross/net capacity	Fridge compartment
	Freezer compartment
Energy efficiency class	
Energy consumption/year	
Climate rating	
Dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	
Handle	
Electronic control	
Position of control	
Control	

CNeS 6256 PremiumPlus



402/380 litre
183/116 litre
A+
391.3 kWh
SN-T
203.9/91/61.5
2
stainless steel
aluminium

MagicEye with digital temperature display
behind the door
Touch-electronic



The **vegetable bins** in the refrigerator compartment and the two pull-out freezer drawers are mounted on **high-quality telescopic rails** and can be effortlessly extended to provide a perfect view and ideal storage conditions. An **LED ceiling light** illuminates the interior and also improves the energy efficiency of the appliance.



The automatic **IceMaker** from Liebherr provides perfect ice cubes for every occasion. Whether you fancy a quick drink or you're having a big party, the extra-large drawer holds an ample supply of ice cubes. An integrated water filter ensures perfect water quality at all times. The electronic display indicates when the water filter needs replacing.




The new SBSes 7273 with BioFreshPlus and IceCenter

The impressive new Side-by-Side combination SBSes 7273 has four different climate zones. A spacious refrigerator compartment with integrated LED light columns. Fruit, vegetables, meat, fish and dairy products stay fresh in the BioFresh compartment three times longer than in the refrigerator compartment. With the new BioFreshPlus

technology, the temperature in the upper BioFresh safe can be reduced to -2°C for perfect storage of fish or set to +6°C for tropical fruits. In the freezer compartment, the professional NoFrost technology provides the convenience of never having to defrost again.



The ideal storage temperature for fish and seafood is just below freezing. The new **BioFreshPlus** safes with separate electronics offer a separate setting for seafood: In the upper compartment, the temperature can be lowered to -2 °C. Together with the DrySafe setting, fish stays fresher for longer.



With **BioFreshPlus**, even temperature sensitive tropical fruits can be kept fresh for longer. They are perfectly stored at +6°C and high humidity. For an optimum overview, the BioFreshPlus safes are illuminated with LED technology.

Side-by-side combination

Gross/net capacity	Fridge compartment incl. BioFresh comp. Freezer compartment
Energy efficiency class	
Energy consumption/year	
Climate rating	
Dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	

Electronic control	
Position of control	
Control	
SmartSteel	

SBSes 7273 PremiumPlus



403/355 litre
126/111 litre
294/237 litre
<A/A>
460.6 kWh
SN-T
185.2/121/63
3
Stainless steel

LCD display
in the door
Touch-electronic



The **SoftSystem** integrated in the door cushions the movement when the door is closed and ensures gentle closing even when the inside of the door is fully loaded. The door automatically closes from an angle of approximately 45°.



Ice cubes, crushed ice or cold water can be dispensed from the integrated **IceCenter** for cool drinks or big parties. It is operated with touch-sensitive paddles, which are illuminated with LED light.



BioFresh from Liebherr – the healthy option

Exceptional freshness with BioFresh makes a significant contribution to a healthy diet. Two studies conducted by renowned research institutes* recently confirmed this. Their joint conclusion: Food quality benefits markedly from BioFresh technology.

How great are the benefits of a BioFresh safe for food freshness compared with storage in a traditional vegetable compartment? This was the question studied by the Lake Constance Research Centre for Fruit Cultivation and the German Federal Research Institute for Nutrition: The results spoke clearly in favour of BioFresh from Liebherr. The vitamin C values alone were on average 92 % higher. Some foods even showed an increase in the vitamin C content. Weight retention during storage was increased by 68.3 % on average. Wastage in preparation was significantly reduced.



	Apples	Asparagus	Peppers	Broccoli	Carrots	Grapes	Lettuce	Average
Vitamin C (after 15 days)								
HydroSafe	100.3 %	78.2 %	161.6 %	88.3 %	82.9 %	134.4 %	26.6 %	104.4 %
Vegetable comp.	92.9 %	65 %	154.2 %	21.5 %	32.4 %	116.7 %	21.9 %	72.8 %
Difference	8 %	20 %	5 %	310 %	156 %	15 %	21 %	92 %
Weight (after 15 days)								
HydroSafe	-0.6 %	-4.8 %	-1.7 %	-3.8 %	-9 %	-0.6 %	-3.1 %	-3.1 %
Vegetable comp.	-1.1 %	-4.5 %	-2.8 %	-5.6 %	-12.8 %	-1.7 %	-5.9 %	-4.6 %
Difference	105 %	6 %	63 %	49 %	43 %	170 %	91 %	68.3 %
Storage life (in days)								
HydroSafe	80	18	30	13	80	29	13	
Vegetable comp.	50	10	17	5	50	12	5	
Difference	30	8	13	8	30	17	8	

*Sources: Lake Constance Research Centre for Fruit Cultivation (KOB): "Influence of different climate zones in refrigerators on the quality of fruit and vegetables"; German Federal Research Centre for Nutrition (BFE): "Investigation into retaining the quality of fresh fruit and vegetables", 2003.



The power of freshness with BioFresh

Nutritionists recommend one simple recipe for fitness and well-being: a healthy diet. Nature offers a whole range of vital substances, vitamins, minerals and carbohydrates to give you energy, stamina and a good mood into the bargain. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours for as long as possible. Liebherr's BioFresh technology gives your healthy diet a boost by keeping your food fresher for longer.



Asparagus + 8 days



Lettuce + 8 days



Carrots + 30 days



Raspberries + 2 days



Apples + 30 days



Artichokes + 7 days



Broccoli + 8 days



Scampi + 1 day



Grapes + 17 days

This information relates to storage in a BioFresh compartment compared with a traditional refrigerator compartment.



Five climate zones in one appliance: SBSes 7155

The new SBSes 7155 Side-by-Side combined appliance with five different climate zones boasts an array of innovative solutions. The multi-temperature wine compartment has two independently adjustable zones for storing wine at the exact temperature desired, ranging from +5°C to +20°C. The NoFrost freezer compartment with automatic IceMaker offers perfect long-term freezing freshness.

A spacious refrigerator compartment ensures freshness every day. Fruit, vegetables, meat and fish stay fresh up to three times longer in the BioFresh compartment. Therefore refrigeration, BioFresh, freezing and the two temperature zones for wine mean you have the optimal storage temperature for every kind of food and drink.



In the areas above and below the insulation panel, two temperature zones can be set independently of each other between +5°C and +20°C. This enables you to store red wine, white wine and champagne at the optimum drinking temperature. The glass door makes your wine stocks an attractive eye-catcher. The **LED lighting** can be individually adjusted and dimmed to present your wines. Due to the minimised heat development of the LEDs, wines can also be illuminated for long periods. The tinted insulating glass offers UV protection for your wines.

Side-by-Side combination

Gross/net capacity	Fridge compartment
	incl. BioFresh comp.
	incl. wine comp.
	Freezer compartment
Energy efficiency class	<A>
Energy consumption/year	509 kWh
Climate rating	SN-T
Dimensions in cm (h/w/d)	185.2/121/63
Separately adjustable cooling circuits	4
Finish	Stainless steel
Electronic control	MagicEye with digital temperature display behind the door
Position of control	Touch-electronic
Control	•
SmartSteel	

SBSes 7155 Premium



548/492 litre
126/117 litre
145/128 litre
150/119 litre
<A>
509 kWh
SN-T
185.2/121/63
4
Stainless steel
MagicEye with digital temperature display behind the door
Touch-electronic
•



The **BioFresh safes** guarantee the perfect climate for longer freshness. At a temperature of just over 0°C and ideal humidity, fruit and vegetables, meat and fish retain their healthy vitamins, their delicate aroma and their appetising appearance up to three times longer than in conventional refrigerator compartments.



Nearly all the stainless steel doors come with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy to clean and far more scratch-resistant.

SBSes 7353: The Side-by-Side combination with extra-large BioFresh compartment

Apart from a spacious refrigerator compartment, the Side-by-Side combination SBSes 7353 also offers a large BioFresh compartment. Foods such as fruit, vegetables, meat, fish and dairy products stay fresh in the ideal climate of the BioFresh compartment up to three times longer than in a conventional refrigerator compartment. Professional long-term freshness is provided by the NoFrost freezer compartment with automatic IceMaker.



The **BioFresh safes** guarantee the perfect climate for retaining freshness. At a temperature of just over 0°C and ideal humidity, fruit and vegetables, meat and fish retain their healthy vitamins, their delicate aroma and their appetising appearance up to three times longer than in a conventional refrigerator compartment.



For storage of drinks, the **bottle shelf** offers a practical and at the same time elegant solution. Up to five bottles can be stored in this space-saving way.



The **IceMaker** provides you with perfect ice cubes for every occasion. Whether for a cool drink or a big party – there will always be enough ice cubes. The IceMaker, which you can switch off at any time, automatically keeps your supplies topped up.



Side-by-Side combination

Gross/net capacity	Fridge compartment incl. BioFresh comp. Freezer compartment
Energy efficiency class	
Energy consumption/year	
Climate rating	
Dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	
Electronic control	
Position of control	
Control	
SmartSteel	

SBSes 7353 Premium

Bio Fresh	No Frost	Ice Maker	Home Display ready	Smart Steel
576/548 litre	171/157 litre	150/119 litre	<A>A	529 kWh
				SN-T
				185.2/121/63
				3
				Stainless steel
				MagicEye with digital temperature display
				behind the door
				Touch-electronic
				•

Professional refrigeration technology with three temperature zones: SBSes 7253

With the eight drawer NoFrost freezer compartment, the Side-by-Side combination SBSes 7253 gives you an extra-large space for the professional freezing of your food. In addition to great freshness in the refrigerator compartment, foods such as fruit, vegetables, meat, fish and dairy products have the perfect climate in the BioFresh compartment.



The elegant, precise **MagicEye control** with the innovative Touch-electronic control concept ensures that the selected temperatures are maintained to the exact degree. All the functions can be simply and conveniently operated at the touch of a finger on the Touch-electronic panel. The freezer compartment has an **LED light strip** integrated in the electronic panel. This ensures optimum illumination of the pull-out drawers with a transparent front – for an even better view of the stored food.



Side-by-Side combination

Gross/net capacity	Fridge compartment incl. BioFresh comp. Freezer compartment
Energy efficiency class	
Energy consumption/year	
Climate rating	
Dimensions in cm (h/w/d)	
Separately adjustable cooling circuits	
Finish	
Electronic control	
Position of control	
Control	
SmartSteel	

SBSes 7253 Premium

Bio Fresh	No Frost	A+	Home Display ready	Smart Steel
403/364 litre	126/117 litre	304/261 litre	<A/A>	482.9 kWh
			SN-T	185.2/121/63
			2	Stainless steel
			MagicEye with digital temperature display	
			behind the door	
			Touch-electronic	



A unique, innovative feature in all BioFresh models is the **variable bottle shelf**. The bottle shelf can be stored under the glass shelf giving a flat surface for normal storage.



The **NoFrost freezer compartment** offers the convenience of never having to defrost again combined with professional refrigeration technology. The food is frozen with refrigerated re-circulated air and the humidity is dissipated. In this way the freezer area always remains ice free preventing food from frosting over.



Side-by-Side combinations	CNeS 6256 PremiumPlus	SBSes 7273 PremiumPlus	SBSes 7155 Premium	SBSes 7353 Premium	SBSes 7253 Premium	SBSes 7263 Premium	SBSes 7252 Premium	SBSes 6352 Premium
Gross/net capacity Fridge comp. incl. BioFresh comp. incl. Wine comp. Freezer comp.	402/380 litre – – 183/116 litre	403/355 litre 126/111 litre – 294/237 litre	548/492 litre 126/117 litre 145/128 litre 150/119 litre	576/548 litre 171/157 litre – 150/119 litre	403/364 litre 126/117 litre – 304/261 litre	403/364 litre 126/117 litre – 304/256 litre	405/391 litre – – 304/261 litre	358/346 litre – – 265/224 litre
Energy efficiency class	<A>	<A/A>	<A/A>	<A/A>	<A/A>	<A/A>	<A/A>	<A/A>
Energy consumption/year	391.3 kWh	460.6 kWh	509 kWh	529 kWh	482.9 kWh	479.2 kWh	461.9 kWh	430.7 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Dimensions in cm (h/w/d)	203.9/91/61.5	185.2/121/63	185.2/121/63	185.2/121/63	185.2/121/63	185.2/121/63	185.2/121/63	165.5/121/63
Separately adjust. cooling circuits	2	3	4	3	2	2	2	2
Finish	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Electronic control	MagicEye with digital temperature display	LCD display	MagicEye with digital temperature display	MagicEye with digital temperature display	MagicEye with digital temperature display	MagicEye with digital temperature display	MagicEye with digital temperature display	MagicEye with digital temperature display
Position of control	behind the door	in the door	behind the door	behind the door	behind the door	behind the door	behind the door	behind the door
Control	Touch-electronic	Touch-electronic	Touch-electronic	Touch-electronic	Touch-electronic	Touch-electronic	Touch-electronic	Touch-electronic
Refrigerator compartment								
Lighting	LED light column and LED ceiling lighting	LED light column	LED	LED	LED	LED	LED	LED
Number of BioFresh safes	–	3	3	2	3	3	–	–
BioFreshPlus (adjustable)	–	•	–	–	–	–	–	–
BioFresh lighting	–	LED	–	–	–	–	–	–
Bottle shelf	–	variable bottle shelf	variable bottle shelf	bottle shelf and champagne shelf	variable bottle shelf	variable bottle shelf	bottle shelf	bottle shelf
VarioBoxes / GlassLine	– / •	• / •	• / •	• / •	• / •	• / •	• / •	• / •
Freezer compartment								
NoFrost	•	•	•	•	•	•	•	•
Lighting	LED	LED	–	–	LED	LED	LED	LED
IceMaker / IceCenter with mains water connection	• / –	– / •	• / –	• / –	– / –	• / –	– / –	– / –
Features								
Soft stop with SoftSystem	–	•	•	–	–	–	–	–
Handles with opening mechanism	–	•	•	•	•	•	•	•
Interface								
HomeDialog / HomeDialog ready	– / –	• / –	– / •	– / •	– / •	– / •	– / •	– / •
SmartSteel	–	•	•	•	•	•	•	•