

Technical data

Appliance type	Colour/Housing	Exterior dimensions in cm (h/w/d)	Interior dimensions in cm (h/w/d)	Gross Capacity in litre	max. Bordeaux bottles 0.75 l *	Temperature zones	Energy consumption kWh/24h **	Gross weight in kg	Net weight in kg	Connection rating Ampere	Climate rating
----------------	----------------	-----------------------------------	-----------------------------------	-------------------------	--------------------------------	-------------------	-------------------------------	--------------------	------------------	--------------------------	----------------

The Vinidor range

WTes 4677 with tinted glazed door	Stainless steel	185.5/66/67.1	160.1/53.3/48.9	430	143	3	0.9	121	114	2.0 A	SN-ST
WT 4677 with tinted glazed door	Tinto / steel	185.5/66/67.1	160.1/53.3/48.9	430	143	3	0.9	122	116	2.0 A	SN-ST
WTes 1753 with tinted glazed door	Stainless steel	85/59.7/58.6	68.1/51/42	136	40	2	0.6	60	57	0.9 A	SN-ST
WTUes 1653 with tinted glazed door	silver / stainless steel door	82-87/60/min. 58	64/51/42	127	38	2	0.6	56	53	1.0 A	SN-ST
WTEes 2053 with tinted glazed door	silver / stainless steel door	122.1-122.5/56-57/min. 55	110.5/45.5/40.6	195	64	2	0.4	69.6	66.1	0.8 A	SN-ST
WTI 2050 door-on-door system	silver / steel	122-123.6/56-57/min. 55	110.5/45.5/40.1	195	64	2	0.3	49.6	46.6	0.8 A	SN-T

GrandCru multi-temperature wine cabinets

WTes 4177 with tinted glazed door	Stainless steel	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	86	81	1.2 A	SN-ST
WT 4177 with tinted glazed door	Tinto / steel	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	88	82	1.2 A	SN-ST
WTes 4176	Stainless steel	165.8/66/67.1	142/51.3/48.9	396	173	6	0.6	67	61	1.0 A	SN-ST
WT 4176	Tinto / steel	164.4/66/67.1	146.5/51.3/48.9	401	182	6	0.6	68	63	1.0 A	SN-ST

Vinothek multi-temperature wine cabinets

WT 4127 with tinted glazed door	Tinto / steel	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	87	81	1.2 A	SN-ST
WT 4126	Tinto / steel	164.4/66/67.1	146.5/51.3/48.9	401	182	6	0.6	68	62	1.0 A	SN-ST

GrandCru wine storage cabinets

WK 6476	Tinto / steel	193/74.7/78.6	170/61.5/56	666	312	1	0.5	99	91	2.0 A	SN-T
WK 4677 with tinted glazed door	Tinto / steel	185.5/66/67.1	161.5/51.3/48.9	462	187	1	0.6	98	91	1.2 A	SN-ST
WK 4676	Tinto / steel	184.1/66/67.1	166/51.3/48.9	453	193	1	0.5	74	68	1.2 A	SN-T
WKes 4177 with tinted glazed door	Stainless steel	165.8/66/67.1	142/51.3/48.9	403	162	1	0.5	86	80	1.2 A	SN-ST
WK 4177 with tinted glazed door	Tinto / steel	165.8/66/67.1	142/51.3/48.9	403	162	1	0.5	88	82	1.2 A	SN-ST
WKes 4176	Stainless steel	165.8/66/67.1	146.5/51.3/48.9	390	162	1	0.4	66	60	1.0 A	SN-T
WK 4176	Tinto / steel	164.4/66/67.1	146.5/51.3/48.9	395	168	1	0.4	68	62	1.0 A	SN-T
WK 2977 with tinted glazed door	Tinto / steel	126.4/66/67.1	102.5/51.3/48.9	285	108	1	0.5	71	66	1.0 A	SN-ST
WK 2976	Tinto / steel	125/66/67.1	107/51.3/48.9	281	114	1	0.4	57	53	1.0 A	SN-T
WK 1853 with tinted glazed door	Tinto / steel	85/59.7/58.6	68/51/43.5	153	59	1	0.5	55	52	0.8 A	SN-ST
WKUes 1753 with tinted glazed door	silver / stainless steel door	82-87/60/min. 58	64/51/43.5	144	59	1	0.5	53	50	1.0 A	SN-ST
WKes 653 with tinted glazed door	Stainless steel	61.2/42.5/47.8	37/35/31	56	12	1	0.4	32	31	0.5 A	SN
WKEes 553 with tinted glazed door	Stainless steel door	45/56/min. 55	34/46/31	48	18	1	0.3	31	30	0.5 A	SN

Vinothek wine storage cabinets

WK 4127 with tinted glazed door	Tinto / steel	165.8/66/67.1	142/51.3/48.9	403	162	1	0.5	87	81	1.2 A	SN-ST
WK 4126	Tinto / steel	164.4/66/67.1	146.5/51.3/48.9	395	168	1	0.4	67	62	1.0 A	SN-T
WK 2927 with tinted glazed door	Tinto / steel	126.4/66/67.1	102.5/51.3/48.9	285	115	1	0.5	71	66	1.2 A	SN-ST
WK 2926	Tinto / steel	125/66/67.1	107/51.3/48.9	281	119	1	0.4	54	50	1.0 A	SN-T
WK 1802 with tinted glazed door	Tinto / steel	88.9/60/60.5	73.5/51.3/44.1	174	68	1	0.8	48	45	1.0 A	N-ST
WK 1806	Tinto / steel	88.9/60/60.5	73.5/51.3/44.1	174	68	1	0.6	38	35	1.0 A	SN-T

* Maximum NORM-Bordeaux bottle capacity (0.75 l), depending on bottle shape and size

** at +20°C ambient temperature and + 12°C internal temperature on average

Liebherr Coolectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 0HA
National Salesline 08444 122655 • National Free Fax 0800 197 6591
Email sales@coolectric.co.uk • Web www.liebherr.com



**Wine
Special**

Subject to modification. Printed in Germany by Raif. 6436/6/3.09

LIEBHERR
Design, Quality & Innovation

Savour wine at its best

No matter whether we're talking about wine production, storage or tasting, the right temperature is crucial. It's a vital factor. Not only for growing the grapes, for producing, maturing and storing the wine but, first and foremost, for the flavour. The temperature at which a wine is served is essential for savouring the flavour at its very best.

The perfect range for wine connoisseurs

It is only under ideal conditions that a good wine can develop into a really excellent vintage and guarantee maintaining its long-term value. For this, the technically advanced wine storage cabinets and multi-temperature wine cabinets from Liebherr are the perfect solution. Incorporating the latest climate technology, they provide precisely the right conditions for wines to mature in

peace and reach their peak of flavour. Including a state-of-the-art electronic control system, unique compressors and a host of thoughtfully designed features, such as the activated charcoal filter and the special glass doors for essential UV protection, these appliances are specifically tailored for storing your wine in the optimum conditions.

The Vinidor range


The Vinidor range combines all the advantages of wine storage cabinets and multi-temperature wine cabinets in one appliance. This range offers two or three wine compartments in which the temperature can be individually set to exactly the degree required. This means that, for instance in the WT 4677, red wine, white wine and champagne can be kept at their individual ideal serving temperatures in the same appliance. These cabinets also provide the facility to set the ideal temperature for storing large quantities of wine over the longer term. The wine compartments vary in size to accommodate any personal selection and variety of wines.



5 - 20 °C

5 - 20 °C

5 - 20 °C



The multi-temperature wine cabinets

Multi-temperature wine cabinets are especially suited for storing different types of wine at their respective drinking temperatures. These appliances incorporate a special climate control system that can layer the temperatures. In the upper zone, for example, red wine can be kept at 18 °C while the lower zone, set at an ambient temperature of 5 °C, will be particularly suitable for sparkling wine or champagne.



18 °C

5 °C



The wine storage cabinets

Wine storage cabinets are the ideal choice for storing a larger wine collection over the long-term. Additionally, these appliances are perfectly suited for keeping larger quantities at drinking temperature. The temperature selected is maintained at a uniform, constant level throughout the interior of these wine storage cabinets.



5 - 20 °C





Superb conditions for fine wines

The production of a really good wine depends on many different factors: the quality of the grapes, the soil, how it is processed, and the correct storage. Essentially, a good wine can only mature fully if all the conditions are right. Constant temperatures and the right humidity are extremely

important for optimum storage and for savouring wine at its best. Our wine storage cabinets are ideal for storing your wines for long periods of time to allow them to mature to absolute perfection.

Ideal Temperature

Exact maintenance of the required temperature is necessary for the wine to mature to its best. Depending on type of wine and wine region, the ideal temperature range for long-term storage is between 8 °C and 12 °C. Depending on your requirements, wines can be stored either long-term or at drinking temperature in the appliances of the Vinidor range. The temperature ranges are freely adjustable from 5 °C to 20 °C.

Optimum air quality

Unwelcome odours in the air can have a negative effect on wines when they are stored for long periods. For that reason, kitchens, pantries, garages or laundry rooms are not suitable for the long-term storage of wine. The wine storage cabinets from Liebherr have an activated charcoal filter, which can be easily changed, that purifies the incoming fresh air to obtain the optimum odour-free quality. Each individual wine compartment in the Vinidor appliances range has an activated charcoal filter of its own.

Optimum positioning

The hand-made shelves in untreated wood are ideal for storing Bordeaux bottles safely. Storing the bottles in opposite directions on the pull-out shelves permits full use of the capacity. The two built-in appliances WTI 2050 and WTEes 2053 come with half-folding wooden shelves for presenting wines or storing open bottles. The Vinidor range features secure wooden pull-out shelves providing a good overview and convenient access to the bottles.

Ideal humidity

Air humidity is a very important aspect in the correct storage of wine. Corks remain pliant and are kept from drying out only at the right humidity of 50 % to 80 %. To keep the cork as moist as possible from inside, wine bottles should always be stored on their side. With 50 % to 80 % humidity the wine cabinets from Liebherr guarantee ideal storage conditions.

Maturing in peace

Peace and quiet are necessary for wines that are to be stored for long periods. Even minor vibrations can have a negative effect as they can stir up the fine components of the sediment. Specially developed compressors installed in the wine cabinets from Liebherr ensure that the wines are stored in a particularly low vibration environment.

Guaranteed UV protection

The green or brown glass of the bottle does not shield the wine sufficiently from damaging light. Therefore, rooms used to store wine not in boxes or cartons should be darkened. The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines.

Innovative, exclusive and versatile: The Vinidor range

Depending on model size, the technically advanced appliances in the Vinidor range have two or three wine compartments allowing independent temperature settings. The appliances can be set in the temperature range of 5 °C and 20 °C to exactly the degree required in each compartment.

All the Vinidor appliances feature an innovative LED lighting concept. There is LED lighting in each temperature zone, integrated in the ceiling and in the insulation plates. This advanced technology ensures uniform illumination of the complete interior. Since any heat generated by the LEDs is minimal, wines can be presented, bathed in light, for a longer time period. The WTes 1753 and WTUes 1653 represent an innovative solution for your storage requirements. For example, the control unit is incorporated into the insulation plate. The zones above and beneath this plate can be set independently of each other to two different temperatures ranging from 5 °C to 20 °C. Red or white wine, can be stored together or separately, as you choose, at ideal drinking temperatures in this appliance.

The path to complete wine pleasure

The responsibility for the quality of the wine does not stop with the wine storage. As a wine consumer you too will want to handle your wine carefully; especially if you want to provide the full benefit to both yourself and your guests. You need to know how to properly store your wine and how it is to be correctly served. For example, it is worthwhile, to decant strong red wines into a carafe before serving; particularly if they are to be enjoyed while they are young. The contact area of the wine with air is greater in the carafe than in the bottle. Therefore, the wine "saturates" with oxygen so that it is positively changed and any possible sulling of the aroma rapidly disappears. Older

red wines are decanted in order to separate the sediment that has settled at the bottom of the bottle from the rest of the wine. A lighted candle placed under the bottle neck helps reveal this sediment. Most important, however, is to ensure that your wine is at the right serving temperature. White wines are best enjoyed when they are cold. And room temperature as a measure for a red wine is long since passé. Even heavy wines should not be served at temperatures of more than 20°C; a temperature of 18°C is even better. Only then will the flavour and refinement show to their very best.



Vinidor range

- Ideal climate conditions in each compartment thanks to forced air cooling and fresh air supply via activated charcoal filter
- Electronic control in the insulation panels
- Door and temperature alarm
- Digital temperature display which can be read from the outside
- Child Lock function
- Variable humidity control
- Dimmable LED interior light with separate switch
- Pull-out wooden shelves on telescopic rails

- Vibration-free compressors
- Reversible doors

WT(es) 4677 Vinidor

- 3 temperature zones, each separately adjustable between 5°C and 20°C
- Elegant slimline handle in the colour of the housing with integrated opening mechanism
- Front in high-quality SwingLine design
- Tinted glazed door
- Frame of glass door in the colour of the housing

WTes 1753 Vinidor

- 2 temperature zones, each adjustable between 5°C and 20°C
- Tinted glazed door with high-quality stainless steel frame
- Stainless steel handle



The Vinidor-Range

Gross capacity	0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)	
Energy consumption (in 365 days)	
Housing / door	
Temperature zones	
Adjustable temperature range	
Pull-out wooden shelves	
Lockable door	

WTes 4677

Vinidor

Gross capacity	430 litre
0.75 litre bordeaux bottles, up to	143
Exterior dimensions in cm (h/w/d)	185.5/66/67.1
Energy consumption (in 365 days)	332 kWh
Housing / door	Stainless steel/glazed door
Temperature zones	3
Adjustable temperature range	+5°C to +20°C
Pull-out wooden shelves	10
Lockable door	•

WT 4677

Vinidor

Gross capacity	430 litre
0.75 litre bordeaux bottles, up to	143
Exterior dimensions in cm (h/w/d)	185.5/66/67.1
Energy consumption (in 365 days)	332 kWh
Housing / door	Tinto/glazed door
Temperature zones	3
Adjustable temperature range	+5°C to +20°C
Pull-out wooden shelves	10
Lockable door	•

WTes 1753

Vinidor

Gross capacity	136 litre
0.75 litre bordeaux bottles, up to	40
Exterior dimensions in cm (h/w/d)	85/59.7/58.6
Energy consumption (in 365 days)	220 kWh
Housing / door	Stainless steel/glazed door
Temperature zones	2
Adjustable temperature range	+5°C to +20°C
Pull-out wooden shelves	4
Lockable door	-

GrandCru multi-temperature wine cabinets

The temperatures can be set differently for the upper zone and lower zone in the multi-temperature wine cabinets of the GrandCru range. Innovative climate technology is employed to create temperature layers, so that red or white wines, and even champagne, can be stored at perfect drinking temperatures.

Up to 182 bottles can be stored at serving temperature in these models. The wooden shelves are height-adjustable to accommodate the individual wine selections. The upper and lower temperature range is displayed digitally in the electronic control unit in the multi-temperature wine cabinets of the GrandCru range.

Serving sparkling wine

Sparkling wines are more than just an aperitif, or a drink to pique the taste buds before a festive dinner. They are a great accompaniment to a host of dishes. They go very well with seafood, poularde in a creamy sauce, mushroom dishes or even with a mature cheese. The simpler, fruity sparkling wines are ideal appetisers when chilled well to temperatures between 5 °C and 8 °C. Then their refreshing acidity comes out best. The following rule of thumb

for sparkling wines applies: the warmer the outside temperature, the cooler the serving temperature of the wine. The wine warms quickly in the glass and so it should be colder right from the start. On the other hand, vintage sparkling wines are more complex in character and need a higher temperature of between 9 °C and 12 °C to develop to their full bouquet.

Connoisseurs go for magnum

Large wine bottles have an almost irrepressible fascination for connoisseurs of wine. The distinction between large and small bottles is most striking when it comes to sparkling wines. They mature better in magnum bottles primarily because the the ratio of oxygen to

wine is lower and therefore the wine matures at a slower pace. This is essentially the reason why sparkling wine from large bottles is usually much more sprightly and fresh on the palate.

GrandCru multi-temperature wine cabinets

- Temperature range from 5°C (bottom) to 18°C (top)
- Electronic control system with 2 adjustable temperature ranges
- Door and temperature alarm
- Digital temperature display which can be read from the outside except WTes 4176
- Child Lock function
- Fresh air supply via activated charcoal filter
- Lava stone humidifying equipment
- Interior light, with separate switch in appliances with glazed door
- Height-adjustable wooden shelves
- Front in high-quality SwingLine design
- Elegant slimline handle in the colour of the housing with integrated opening mechanism
- Vibration-free compressors
- Reversible doors
- Lockable door

Vinothek multi-temperature wine cabinets

- Temperature range from 5°C (bottom) to 18°C (top)
- Mechanical control system
- Door and temperature alarm
- Child Lock function
- Fresh air supply via activated charcoal filter
- Lava stone humidifying equipment
- Interior light in WT 4127
- Height-adjustable wooden shelves
- Front in high-quality SwingLine design
- Vibration-free compressors
- Reversible doors
- Lock available for subsequent fitting



GrandCru multi-temperature range

	WTes 4177 GrandCru	WTes 4176 GrandCru	WT 4177 GrandCru	WT 4176 GrandCru
Gross capacity	409 litre	396 litre	409 litre	401 litre
0.75 litre bordeaux bottles, up to	173	173	173	182
Exterior dimensions in cm (h/w/d)	165.8/66/67.1	165.8/66/67.1	165.8/66/67.1	164.4/66/67.1
Energy consumption (in 365 days)	273 kWh	204 kWh	273 kWh	204 kWh
Housing / door	stainless steel/glazed door	stainless steel/full-panel door	Tinto/glazed door	Tinto/full-panel door
Temperature zones	6	6	6	6
Adjustable temperature range	+5°C to +18°C	+5°C to +18°C	+5°C to +18°C	+5°C to +18°C
Wooden shelves	5	5	5	5
Lockable door	•	•	•	•

Vinothek multi-temperature range

	WT 4127 Vinothek	WT 4126 Vinothek
Gross capacity	409 litre	401 litre
0.75 litre bordeaux bottles, up to	173	182
Exterior dimensions in cm (h/w/d)	165.8/66/67.1	164.4/66/67.1
Energy consumption (in 365 days)	273 kWh	204 kWh
Housing / door	Tinto/glazed door	Tinto/full-panel door
Temperature zones	6	6
Adjustable temperature range	+5°C to +18°C	+5°C to +18°C
Wooden shelves	5	5
Lockable door	available as accessory	available as accessory

Wine storage cabinets of the GrandCru range

Wine storage cabinets can be set to exactly the temperature required within the range of 5 °C to 20 °C. This ensures that the selected temperature is maintained constantly and uniformly throughout the interior. Our wine storage cabinets are ideal for storing wines for long periods of time to allow them to mature to perfection. Depending on what temperature the appliances are set to, they can also be used for keeping white wine or red wine at exactly the right temperature for serving.

The 66 cm-wide models of the GrandCru series can be set to temperatures between 5 °C and 20 °C. All the wine storage cabinets are also available with a tinted glazed door for stylish presentation.

Why are grape varieties blended?

Many people still see the blending of various types of grapes as an underhand practice or even as adulterating a wine. But this is not the case at all. Blending has a long tradition, particularly in France, where it is referred to as "assemblage". There are several reasons for blending. Firstly, if wine were made from certain single varieties of grapes it might be one-dimensional, bland and possibly undrinkable. Blending is carried out to obtain a consistent quality and a harmonious, appealing wine. Bordeaux wines are a good example of "assembly". For red Bordeaux, the Cabernet Sauvignon, Merlot and Cabernet Franc varieties are mainly used. The Cabernet Sauvignon has

a very pronounced tannin aroma and would probably be too strong to most people if it were used as a single grape variety. That is why the Cabernet is blended with the softer Merlot that has less tannin character. In this way the strong tannin structure of the Cabernet is toned down a little and the wine reaches maturity earlier. The Cabernet Franc gives the blend a perfect colour and a delicate spiciness. The individual components of the grape varieties form a unique whole that is achieved only when married together by blending.

Features of the wine storage cabinets

The wine storage cabinets of the GrandCru range feature distinctive equipment and offer top operating efficiency. The 66 cm-wide appliances with their electronic control system and super insulation are especially economical to


operate. The attractive wooden shelves and the elegant SwingDesign door make these appliances the first choice for the highest standards.

Liebherr wine storage cabinets come in a full range of capacities. 60 cm and 66 cm wide in the Vinothek range and in 66 cm and 75 cm wide the especially energy efficient GrandCru range. Up to 312 Bordeaux bottles can be stored in these exceptional wine storage cabinets from Liebherr.

The **lever handle** in the GrandCru range is ergonomically adapted to the respective door height. This practical door handle, with **integrated opening mechanism**, allows the door of the appliance to be opened conveniently with a minimum of effort.



Accurately maintaining the right temperature is vital for wine to reach optimum maturity. The precision **electronic Touch control system** allows the temperature to be regulated to exactly the degree wanted ranging between 5°C and 20°C. All the functions can be simply and conveniently operated at the touch of a finger on the electronic Touch panel. The temperature is indicated in the control display. For ideal presentation of your best wines, the WKes 653 features **LED lighting** with dimmer function and separate switch.



The green or brown glass of the bottle does not shield the wine sufficiently from damaging light. Therefore, rooms used to store wine not in boxes or cartons should be darkened. The **tinted safety glass** in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines.

The **bottle shelves**, made of untreated wood are variably height-adjustable to provide an optimum overview and a clear storage layout. The bottles can be stored in opposite directions to make full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles.



GrandCru wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
- Adjustable temperature range between 5°C and 20°C
- Electronic control
- Door and temperature alarm
- Digital temperature display which can be read from the outside except WK 4176
- Child Lock function
- Fresh air supply via activated charcoal filter
- Interior light, with separate switch in appliances with glazed door
- Height-adjustable wooden shelves
- High-quality SwingLine design
- Elegant slimline handle in the colour of the housing with integrated opening mechanism
- Vibration-free compressors
- Reversible doors
- Lockable door



Electronic control system

The wine storage cabinets of the GrandCru range are equipped with an accurate electronic control system with digital temperature display. With this control system the temperatures can be set to the degree required in the range of 5 °C to 20 °C. The current temperature of the interior can be read from the outside.



GrandCru wine storage cabinets

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Lockable door

WK 6476
GrandCru

666 litre
312
193/74.7/78.6
194.2 kWh
Tinto/full-panel door
1
+5°C to +20°C
6
•

WK 4677
GrandCru

462 litre
187
185.5/66/67.1
204 kWh
Tinto/glazed door
1
+5°C to +20°C
6
•

WK 4676
GrandCru

453 litre
193
184.1/66/67.1
175 kWh
Tinto/full-panel door
1
+5°C to +20°C
6
•

GrandCru wine storage cabinets

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Lockable door

WKes 4177
GrandCru

403 litre
162
165.8/66/67.1
178 kWh
stainless steel/glazed door
1
+5°C to +20°C
5
•

WKes 4176
GrandCru

390 litre
162
165.8/66/67.1
160 kWh
stainless steel/full-panel door
1
+5°C to +20°C
5
•

WK 4177
GrandCru

403 litre
162
165.8/66/67.1
178 kWh
Tinto/glazed door
1
+5°C to +20°C
5
•

GrandCru wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
- Adjustable temperature range between 5°C and 20°C
- Electronic control
- Door and temperature alarm
- Digital temperature display which can be read from the outside
- Child Lock function
- Fresh air supply via activated charcoal filter
- Interior light, with separate switch in appliances with glazed door
- LED interior light with WKes 653
- Height-adjustable wooden shelves except WKes 653 and WK 1853
- Drawer for accessories with WKes 653
- High-quality SwingLine design with WK 2977, WK 2976 and WK 4176
- Elegant slimline handle in the colour of the housing with integrated opening mechanism with WK 2977, WK 2976 and WK 4176
- Vibration-free compressors
- Reversible doors except WKes 653
- Lockable door



The **drawer** of the WKes 653 is ideal for storing wine accessories or wine accompaniments such as chocolate or candies.



All the functions of the WKes 653 can be simply and conveniently operated at the touch of a finger on the **electronic Touch panel**. The temperature is indicated in the control display.



GrandCru wine storage cabinets

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Interior light
Lockable door

WK 4176
GrandCru



395 litre
168
164.4/66/67.1
160 kWh
Tinto/full-panel door
1
+5°C to +20°C
5
•
•

WK 2977
GrandCru



285 litre
108
126.4/66/67.1
171 kWh
Tinto/glazed door
1
+5°C to +20°C
4
•
•

WK 2976
GrandCru



281 litre
114
125/66/67.1
153 kWh
Tinto/full-panel door
1
+5°C to +20°C
4
•
•

GrandCru wine storage cabinets

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Grid shelves galvanised
Interior light
Lockable door

WK 1853
GrandCru

153 litre
59
85/59.7/58.6
189 kWh
Tinto/glazed door
1
+5°C to +20°C
-
3
•
-

WKes 653
GrandCru

56 litre
12
61.2/42.5/47.8
146 kWh
stainless steel/glazed door
1
+5°C to +20°C
3
-
•
•

Wine storage cabinets of the Vinothek range

Liebherr's large range of wine storage cabinets caters for a wide spectrum of storage requirements. In addition to the appliances in the GrandCru range, the wine storage cabinets also come in the Vinothek line.

The permanent supply of fresh air through activated charcoal filters and re-circulated air cooling both ensure a consistently high air quality in these appliances to help the wines progress safely to maturity. Specially developed compressors ensure that the wines are stored undisturbed in peace and quiet.

Vinothek wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
- Mechanical control
- Interior light, with separate switch with WK 4127, WK 1802 and WK 2927
- Digital temperature display which can be read from the outside
- Analogue temperature display with WK 1802 and WK 1806
- Fresh air supply via activated charcoal filter
- Height-adjustable wooden shelves
- Height-adjustable bottle shelves with WK 1802 and WK 1806
- Vibration-free compressors
- Reversible doors
- Lockable door with WK 1802 and WK 1806
- High-quality SwingLine design except WK 1802 and WK 1806



Ideal humidity

With 50% - 80% humidity, Liebherr's wine storage cabinets guarantee the perfect conditions needed for keeping the corks supple and allowing wine to breathe during the maturing process. The fresh air supplied through the easily replaceable activated charcoal filter and the recirculated air cooling system ensure optimal air quality - this is crucially important for the maturing process and preservation of the wines.



Vinothek wine storage cabinets

WK 4127
Vinothek

WK 4126
Vinothek

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Interior light
Lockable door

403 litre
162
165.8/66/67.1
178 kWh
Tinto/glazed door
1
+5°C to +20°C
5
•
available as accessory

395 litre
168
164.4/66/67.1
160 kWh
Tinto/full-panel door
1
+5°C to +20°C
5
-
available as accessory

Vinothek wine storage cabinets

WK 2927
Vinothek

WK 2926
Vinothek

WK 1802
Vinothek

Gross capacity
0.75 litre bordeaux bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Adjustable temperature range
Wooden shelves
Grid shelves galvanised
Interior light
Lockable door

285 litre
115
126.4/66/67.1
171 kWh
Tinto/glazed door
1
+5°C to +20°C
3
-
•
available as accessory

281 litre
119
125/66/67.1
153 kWh
Tinto/full-panel door
1
+5°C to +20°C
3
-
-
available as accessory

174 litre
68
88.9/60/60.5
292 kWh
Tinto/glazed door
1
+5°C to +20°C
-
3
•
•
with full-panel door as WK 1806




Attractive and convenient

Multi-temperature wine cabinets and wine storage cabinets not only offer the compelling benefit of innovative climate technology, engineered specifically for storing wines, but also bring together premium quality equipment with a classical, elegant design.

All the Vinidor appliances feature an innovative **LED lighting concept**. There is LED lighting in each temperature zone, integrated in the ceiling and in the insulation plates. This advanced technology ensures uniform illumination throughout the interior. Since any heat generated by the LEDs is minimal, wines can be presented, bathed in light, for a longer time period.

The wine storage cabinets from Liebherr have an **activated charcoal filter**, which can be easily changed, that purifies the incoming fresh air to obtain the optimum odour-free quality. Each wine compartment in the Vinidor appliances range has an activated charcoal filter of its own.



Accurately maintaining the right temperature is vital for wine to reach optimum maturity. The precision **electronic Touch control system** allows the temperature to be regulated to exactly the degree wanted ranging between 5°C and 20°C. All the functions can be simply and conveniently operated at the touch of a finger on the electronic Touch panel. The temperature is indicated in the control display.

The Vinidor range features secure wooden pull-out shelves providing a good overview and convenient access to the bottles. The **handmade shelves** crafted from untreated wood are ideal for storing bottles of Bordeaux safely. Storing the bottles in opposite directions on the pull-out shelves permits full use of the capacity.

The two built-in appliances WTI 2050 and WTEes 2053 come with **half-folding wooden shelves** for presenting wines or storing open bottles.

The Vinidor range

- Ideal climate conditions in each compartment thanks to forced air cooling and fresh air supply via activated charcoal filter
- Electronic control in the insulation panels
- Door and temperature alarm
- Digital temperature display which can be read from the outside
- Child Lock function
- Variable humidity control
- Dimmable LED interior light with separate switch
- Pull-out wooden shelves on telescopic rails

- Vibration-free compressors
 - Reversible doors
- WTEes 2053 and WTI 2050 Vinidor**
- 2 temperature zones, each adjustable between 5°C and 20°C
 - 2 folding wooden pull-out shelves for presentation or for storing open bottles
 - SoftSystem
 - Frame of glass door in the colour of the housing with WTEes 2053

WTUes 1653 Vinidor

- 2 temperature zones, each adjustable between 5°C and 20°C
- Tinted glazed door with high-quality stainless steel frame
- Stainless steel handle

GrandCru wine storage cabinet

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
- Temperature range settable between 5°C and 20°C
- Electronic control
- Door and temperature alarm
- Digital temperature display which can be read from the outside
- Child Lock function
- Vibration-free compressors

WKUes 1753 GrandCru

- 4 storage shelves, 3 of which are wooden pull-out grid shelves with front wooden panel
- Interior light, with separate switch
- Reversible doors
- Elegant slimline handle
- Can be fitted under worktop; height of plinth can be adjusted by 50 mm with adjustable feet; ventilation and air extraction through the plinth, so no ventilation grill necessary in the work surface
- Tinted glazed door with high-quality stainless steel frame

WKEes 553 GrandCru

- Electronic Touch panel
- 3 storage shelves, 2 of which are wooden pull-out grid shelves with front wooden panel
- LED interior light
- Reversible doors
- Tinted glazed door with high-quality stainless steel frame



The Vinidor range

WTEes 2053 Built-in appliance Vinidor	WTI 2050 Built-in appliance Vinidor	WTUes 1653 Under-worktop appliance Vinidor
Aperture height 122	Aperture height 122	Aperture height 82-87

Gross capacity	195 litre	195 litre	127 litre
0.75 litre bordeaux bottles, up to	64	64	38
Exterior dimensions in cm (h/w/d)	122.1-122.5/56-57/min. 55	122-123.6/56-57/min. 55	82-87/60/min. 58
Energy consumption (in 365 days)	150 kWh	125 kWh	220 kWh
Housing / door	silver/glazed door	silver/full-panel door	silver/glazed door
Temperature zones	2	2	2
Adjustable temperature range	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C
Pull-out wooden shelves	4	4	3
Lockable door	-	-	•
SoftSystem	•	•	-

GrandCru wine storage cabinets

WKUes 1753 Under-worktop appliance GrandCru	WKEes 553 Built-in appliance GrandCru
Aperture height 82-87	Aperture height 45

Gross capacity	144 litre	48 litre
0.75 litre bordeaux bottles, up to	59	18
Exterior dimensions in cm (h/w/d)	82-87/60/min. 58	45/56/min. 55
Energy consumption (in 365 days)	182 kWh	109 kWh
Housing / door	silver/glazed door	glazed door
Temperature zones	1	1
Adjustable temperature range	+5°C to +20°C	+5°C to +20°C
Total storage shelves	4	3
Interior light	•	•
Lockable door	•	-