

Cooling

Introducing our brand new range of fully co-ordinated appliances. Good looking on their own and fabulous together, they're not labelled of for nothing!

Saving energy is paramount to Siemens. As is clean design, first-class quality and smart thinking. Together, they're the backbone of our approach to everything we create. It's an attitude that runs across our entire range of cooling products; from the smallest under the counter model to our stunning cool**Duo** American style fridge freezers and right through to our latest top of the range cool**Media** TV fridge freezer model.

One of the major driving forces behind the creation of Siemens' brand new @ range was to offer the customer the ability to achieve seamless design co-ordination between appliances. So the range comes in four distinct variants: @@100, @@300, @@500 and @0700, that covers almost every kitchen appliance we make. With all the pieces designed to combine effortlessly with each other.

iQ 100

The range

Typical Siemens style and build quality, offering exceptional value. iQ 300

The range

Good-looking mid-range appliances equipped with an attractive selection of smart features.

iQ 500

The range

Oozing class and refinement, these machines unite first-class features with top-class technology.

iQ 700

The range

Radical design allied with seriously innovative technology is the basis of these, our premium models.



Humidity control panel

The humidity control panel is found on most of our cooling appliances. This clever piece of technology alters the humidity of the vegetable compartment to optimise the appearance and preservation of the food.





Removable magnetic door seals

To make the door seals easy to clean or replace, we've made them magnetic. You simply pull the seal away from the inner door lining, give everything a good clean and then put it back. It really is that simple.

Constant freezing

All Siemens standard freezers have individual freezing elements for each drawer, which means that you can freeze food wherever there is space as the temperature is kept constant throughout the cabinet.

First class thinking

Four star freezing compartments allow frozen food to be stored at below -18°C. This means that fresh food can be frozen and stored for longer periods up to 12 months.



Foamed in evaporator

All models feature a foamed in evaporator to protect it from damage. The evaporator in a Siemens fridge is hidden behind the interior wall of the appliance, giving more interior space in the fridge. This smooth interior surface also makes the fridge easier to clean, looks more attractive, and reduces the potential of damaging an exposed evaporator.

No more defrosting with our frost free fridge freezers

Many of our fridge freezers feature frost free technology, which means no more defrosting. This ensures a permanently cold, dry environment with no build up of ice in the freezer. Food packs don't stick together. The labels on the food packs stay clear and easy to read and ice cubes will not stick to the tray. These models now use their electronics to monitor and control the frost free operation, ensuring the freezer only initiates the frost free cycle when the appliance actually needs it, saving considerably in energy consumption.



Clean, fresh design is what makes our cooling appliances really stand out.



Transparent design

The spacious robust freezer drawers keep temperature loss to a minimum.

The drawers glide in and out easily, even when fully loaded, and the safety stops prevent the drawers from being accidentally pulled out. The freezer baskets have transparent drawer fronts, which look attractive and allow viewing of the contents without having to pull out the drawer.

Pull out fridge tray

Some of the models feature an innovative pull out fridge tray suitable for the storage of meat, cheese and other small items. The tray itself can be moved from side to side thus maximising internal storage space.





Deluxe interior

Featuring steel trims to the glass shelves, frosted white interior parts, metal trims to the door compartments and chrome bottle racks, these machines look great inside and out.



Available on certain models, the metal can dispenser can hold up to 5 standard cans. It hangs beneath any shelf you choose simply by sliding it on or off.



External design

A Siemens appliance is built to complement any home. With long door designs, in door electronics and a choice of colour finishes, the Siemens cooling range has something to enhance most kitchens. White and stainless steel are great colours for most homes, but if you have small children you'll know that stainless steel and sticky fingered toddlers are a bad combination. To overcome this, several models come in a "steel look" finish. It looks like steel but is fingerprint free and wipes clean easily.



A place for everything

In some models one of the safety glass shelves can be divided so taller items can be stored in the fridge. This is ideal for storing wine bottles inside the fridge. A handy bottle storage support is also provided on some models in the door to prevent bottles from rocking and tipping. It can hold up to four 2 litre bottles.


Chiller drawer

Full width chiller drawers within our fridge freezers provide the perfect environment for the storage of fresh meat, poultry, fish and even ready meals. With the internal temperature at 3°C lower than the rest of the fridge, you can rely on your food retaining its taste and freshness for longer. Available on selected models only.



It may boast elegant looks, jaw dropping style and a TV, but there's more to cool**Media** than meets the eye.

Black glass finished door, silver metallic sides, 17-inch TV. What more could anyone want? But with a total capacity of 269 litres, integrated touch control and A+ energy rating, this sleek fridge-freezer also offers a new level of aesthetics and technology, with a cooling performance and functionality as exceptional as its looks.



Watch this space

The cool**Media** integrated 17" widescreen LCD-TV displays a high contrast and high-resolution picture in a 16:9 wide cinema format. Whilst hidden in the door are super thin speakers driven by the perfect sound system. Everything can be operated through a multi-functional remote control.



vita**Fresh**

The cool**Media** vita**Fresh** zone features two sliding and telescopic drawers; a 'wet' drawer that maintains close to 0°C and up to 95% humidity, creating the ideal conditions for fruit and vegetables, and a 'dry' drawer, where the temperature is kept close to 0°C and the humidity never exceeds 50%, so that meat, fish, sausage and cheese retain their freshness for up to three times longer.



The perfect space

At 190cm tall, 65cm deep and 64cm wide, cool**Media** will fit neatly into almost any kitchen plan. And yet it has internal storage dimensions that a certain TV doctor would recognise. The freezer holds 53 litres with three drawers allowing you to store large quantities of food in a convenient and energy-efficient manner. The fridge holds 156 litres and the vita**Fresh** section a very useful 60 litres. And thanks to its 3 circuit cooling system, cool**Media** is energy rated at a very respectable A+. There is also a super freeze and super cool function.

Our new cool**Duo** range. Style to the power of two:

Powered by two totally independent cooling systems, the words 'Big, Bold, Stylish and Smart', just about sum up our cool**Duo** fridge freezers. The KA62DV50GB is frost free and comes fully equipped with an in-door ice water dispenser, big**Box**, tilting freezer door trays, a Deli drawer, two salad drawers, one with humidity control, an air**Fresh** filter, a super cool and super freeze function, bacteria**Kontrol**, and Siemens' sophisticated multi-airflow system. It's sister appliances, the KA62DA70GB and KA62DP90GB, are packed with all these features plus even more, some of which are unique.

Two cooling systems

Both the fridge and freezer are powered by separate evaporators and a cooling circuit with independent temperature control. This means that there is no transference of odours or humidity, and that the humidity in the fridge is kept higher, prolonging the freshness of your stored foods.

Tiltable freezer door trays

The door storage compartments in the freezer have a hinge-point allowing the door-bins to be tilted outwards, which improves accessibility to stored items in the door storage compartments. There is also a storage place for pizza and smaller packages.





In-door LCD display

Thanks to user-friendly electronics and sophisticated design, it gives you easy control of the appliance functions from the door. Modern, flat, convenient and easy to clean, it offers better performance and high durability.

Two easy adjust shelves with rotary turning mechanism (KA62DP90GB)

Unique to cool**Duo**, the glass shelves are fixed to a rotary mechanism in the sidewall and move up or down by 5 cm height difference. It allows you quick and easy adjustment of the shelves, even when fully loaded and can be adjusted with one hand only. One easy adjust shelf available only on KA62DA70GB.







Model shown KA62DP90GB





Fully extendable rail system on drawers

This smooth and stable high quality metallic rail-system for drawers is also exclusive to the cool**Duo**. The drawers are fully extendable drawers for easy handling, allowing you complete accessibility.



High end LED lighting for ice water dispenser and interior arc design LED lighting

Temperature controlled box

Another unique feature is the 19 litre fresh**Protect** box drawer. The temperature can be controlled independently

products (2°C) and fruit and vegetables (4°C).

from the fridge temperature and set manually at 3 different levels between 0 to 4°C. best for: meat and fish (0°C) milk

Outstandingly designed lighting, in high durability LEDs, gives extra bright interior illumination with a beautiful and appealing effect, both inside and out.



Easy adjust door storage compartment

The height of the refrigerator door compartments can be adjusted to accommodate bigger or smaller bottles or containers. The easy adjustable door compartments can be moved easily by just pushing up or down in a stepless smooth action even when fully loaded.



airFresh filter

All of the cold air blown around the fridge section of our fridge freezers goes through a honeycombed charcoal filter. This absorbs and neutralises strong smelling foods resulting in a fresh and clean fridge with less odour transfer between foods and no old smells "hanging around". Available on selected models only.





Super cool function

Adding warm or new food to the fridge can lead to an increase in the internal and food temperatures. By switching on the super cool function before you go shopping ensures the fast and safe cooling of food added to the fridge without affecting the temperature of food already in the fridge.



Precise electronic controls

All Siemens models feature various types of electronic control to accurately maintain temperature and promote safe food storage in your fridge and freezer. These controls also give different levels of alarm systems to indicate if the freezer door has been left open or if the internal temperature is too high.





Super freeze function

Adding warm or new food to the freezer may lead to part defrosting of pre-frozen items. The super freeze function ensures fast and safe freezing of food added to the freezer.



multiAirflow system

Within the Siemens fridge freezers, ventilation shafts provide a powerful flow of air around the fridge. This ensures even temperatures at all levels, ensuring quick cooling (40% quicker than a standard fridge), less humidity and no condensation build up. All resulting in food staying fresher for longer.



Bright internal lighting

Every item can be easily identified and located within Siemens machines due to the twin lights within fridge freezers, bright krypton lights within the tall fridges and even due to the internal lights that we have in the tall freezers.



Internal krypton light

The fridge interior on selected models is lit by a krypton light – this is a stronger light than used in standard fridges and fully illuminates the fridge, allowing easy viewing of your fridge contents.

Vegetable drawer

The ripple effect base in the vegetable drawer encourages air movement within the drawer. This reduces the level of humidity and extends food freshness.



bacteria Kontrol

There's no hiding place for unwanted organisms in our refrigerators. The internal walls include a natural anti-bacterial system that lasts for the lifetime of the appliance.




Door open and high temperature alarm systems

To ensure that you keep your food in the best possible environment all electronic models have built-in alarm systems that will let you know if you have inadvertently left the door ajar or if there has been a power cut which may have resulted in the internal temperature rising.

Reasons why you should buy a Siemens cooling appliance.

Your fridge and freezer probably consume the highest levels of energy in your home. Plugged in for 24 hours a day, 52 weeks a year, keeping them running contributes to the £3bn UK households spend on electricity bills per year. Compared with their counterparts from 1990, today's cooling appliances consume 79% less energy.



A++ is up to 45% more efficient than A for cooling appliances.









Saving a further 45%



Environmental pledge

All Siemens cooling appliances use recyclable plastics. And all our models are free from HFC and CFCs (the gases that cause long term damage to the ozone layer).

Tried and tested

All Siemens fridges and freezers are built to last. And rigorous testing ensures that our products meet all the requirements of our customers.

Every single one of our appliances are tested before they leave the factory. For 24 hours a day, our components are tested continuously to the maximum tolerance possible for the equivalent lifetime of the appliance.

The shelves are strong enough to take 20kg of weight and our doors are weighted and then opened and closed by the handle 200,000 times during testing to ensure they are robust (200,000 times is equivalent to opening and closing the door 27 times per day for 20 years).

Materials are not only tested for suitability and longevity, we also look at how they sound and feel when we use them. Like the satisfying "clunk" of a door closing.

A+ energy and A++ energy

Siemens have always aimed for the lowest possible energy consumption rates for our



appliances. Some of the Siemens cooling range is now A+ energy rated and some are even A++ rated. A+ uses up to 25% less electricity than an A rated appliance and A++ uses up to 30% less electricity than an A+ rated appliance. This saves you money and helps the environment too. Finally we make sure that, although our products

are packed safely for safe transport, we use as little packaging as possible.





coolDuo American fridge freezer













coolDuo American fridge freezer KA62DV50GB black

High gloss black finish doors and black sides

Frost free system

Super cool and super freeze function

Audible alarm system

In door dispenser for chilled water, crushed ice or ice cubes

1.0 litre water storage container for water dispenser

External LED electronic controls

Fridge section gross capacity: 378 litres/13.4 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves Removable door storage compartments Multi-airflow cooling

Deli drawer

Freezer section gross capacity:

213 litres/7.5 cu.ft

2 drawers and 3 safety glass shelves

Door storage compartments

Up to 140 ice cubes produced per day

Water plumbed in (filter supplied)

Internal light

Twin evaporators so no transference of humidity between fridge and freezer cavity

Two doors, left hinge for freezer, right hinged for fridge

Annual running cost: £66.84

CFC and HFC free

Energy efficiency rating A

Dimensions: 1756 H x 910 W x 695 D mm

(761 mm including handle)

Available July 2009

500 cool**Duo** American fridge freezer























coolDuo American fridge freezer KA62DA70GB stainless steel

Stainless steel doors and stainless steel coloured sides

Frost free system

Super cool and super freeze function

Visual and audible alarm system

In door dispenser for chilled water, crushed

1.0 litre water storage container for water dispenser

External LCD electronic controls Child lock setting on electronic controls

Fridge section gross capacity: 355 litres/12.5 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves (1 adjustable with rotary turning mechanism)

Removable door storage compartments

Full width chrome bottle rack

Electronic temperature controlled chiller compartment with 3 settings (0°C, 2°C or 4°C) for prolonged storage of meat/fish and vegetables

Multi-airflow cooling

Deli drawer

airFresh filter in fridge

Freezer section gross capacity: 200 litres/7.1 cu.ft

2 drawers and 3 safety glass shelves

Door storage compartments

Up to 140 ice cubes produced per day

Water plumbed in (filter supplied)

Bright interior lighting Ice pack storage facility in door

2 ice packs

Twin evaporators so no transference of humidity between fridge and freezer cavity

Two doors, left hinge for freezer, right hinged for fridge

Annual running cost: £55.80

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1756 H x 910 W x 695 D mm (761 mm including handle)

Available June 2009

200 cool**Duo** American fridge freezer























coolDuo American fridge freezer KA62DP90GB stainless steel

Stainless steel doors and sides

Frost free system

Super cool and super freeze function Visual and audible alarm system

Illuminated dispenser for chilled water, crushed ice or ice cubes

1.0 litre water storage container for water dispenser

External LCD electronic controls Child lock setting on electronic controls

Fridge section gross capacity: 355 litres/12.5 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves (2 adjustable with rotary turning mechanism)

Removable door storage compartments Full width chrome bottle rack

Electronic temperature controlled chiller compartment with 3 settings (0°C, 2°C or 4°C) for prolonged storage of meat/fish and vegetables

Multi-airflow cooling Interior arc design LED lights Deli drawer

airFresh filter in fridge

Freezer section gross capacity: 200 litres/7.1 cu.ft

2 drawers and 3 safety glass shelves

Door storage compartments Up to 140 ice cubes produced per day

Water plumbed in (filter supplied) Internal LED lights

Ice pack storage facility in door

2 ice packs

Twin evaporators so no transference of humidity between fridge and freezer cavity

Two doors, left hinge for freezer, right hinged for fridge

Annual running cost: £56.04 CFC and HFC free Energy efficiency rating A+ Dimensions: 1756 H x 910 W x 695 D mm

Available June 2009

(761 mm including handle)

Frost free upright freezer



















Frost free upright freezer **GS40NA30GB** stainless steel

High-line design with white door and sides

Frost free system

Super freeze function

Visual and audible alarm system

Precision temperature sensor for freezer, door status sensor, electronic control with LED display

Freezer section gross capacity: 346 litres/12.2 cu.ft

Transparent freezer drawers and upper compartments with flap opening

Interior light

'Big box' freezer drawer

Carrying handles for each drawer

Ice packs stored in door

3 hinged freezer compartments with flaps Easy opening door handle

Removable magnetic door seal Right hinged reversible door

Annual running cost: £31.20

CFC and HFC free

Energy efficiency rating A++ up to 30% more energy efficient than an A+ rating Dimensions: 1850 H x 700 W x 750 D mm















Hi-line design with white door and sides Super cool function

Instant response temperature sensors, climate equilibrium sensor, door status sensor, electronic control with LED display

Fridge section gross capacity: 289 litres/10.2 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves Humidity controlled salad drawer

Flexible bottle rack

Pull out fridge tray

Easy opening door handle

Foamed in evaporator

Deluxe removable door storage compartments

Krypton interior light

Removable magnetic door seal Right hinged reversible door

Annual running cost: £16.21

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1550 H x 600 W x 650 D mm

Side by side combination possible with frost free freezer GS24NA21GB















Frost free upright freezer GS24NA21GB white

Hi-line design with white door and sides

Frost free system

Super freeze function

Visual and audible alarm

Precision temperature sensor for freezer, door status sensor, electronic control with LED display

Freezer section gross capacity: 201 litres/7.1 cu.ft

Transparent freezer drawers

Interior light

'Big box' freezer drawer

Carrying handles for each drawer

1 hinged freezer compartment with flap

Ice packs stored in door

Easy opening door handle

Removable magnetic door seal Right hinged reversible door

Annual running cost: £32.04

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1550 H x 600 W x 650 D mm

Side by side combination possible with fridge KS30RA00GB

iQ 300 Upright fridge













Larder fridge KS38RA00GB white

Hi-line design with white door and sides

Supercool function

Instant response temperature sensors, climate equilibrium sensor, door status sensor, electronic control with LCD display

Fridge section gross capacity: 357 litres/12.6 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves

Flexible bottle rack

Humidity controlled salad drawer

Easy opening door handle

Foamed in evaporator

Removable door storage compartments

Pull out fridge tray

Krypton interior light

Removable magnetic door seal Right hinged reversible door

Annual running cost: £17.30

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1850 H x 600 W x 650 D mm

Side by side combination possible with frost free freezer GS32NA21GB

iQ 300 Frost free freezer















Frost free upright freezer GS32NA21GB white

Hi-line design with white door and sides

Frost free system

Super freeze function

Visual and audible alarm

Precision temperature sensor for freezer, door status sensor, electronic control with LED display

Freezer section gross capacity: 253 litres/8.9 cu.ft

Transparent freezer drawers and upper compartments with flap openings

Interior light

'Big box' freezer drawer

Carrying handles for each drawer

Ice packs stored in door

3 hinged freezer compartments with flaps Easy opening door handle

Removable magnetic door seal Right hinged reversible door

Annual running cost: £36.60

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1850 H x 600 W x 650 D mm

Side by side combination possible with fridge KS38RA00GB

IQ 500 Upright fridge











Larder fridge KS38RN95GB stainless steel

Hi-line design with stainless steel door and sides

Fridge section gross capacity: 357 litres/12.6 cu.ft

bacteria **Kontrol**

Height adjustable safety glass shelves

Flexible bottle rack

Humidity controlled salad drawer

Easy opening door handle

Foamed in evaporator

Removable door storage compartments

Pull out fridge tray

Krypton interior light

Removable magnetic door seal Right hinged reversible door Annual running cost: £12.36

CFC and HFC free

Energy efficiency rating A++ up to 30% more efficient than an A+ rating

Dimensions: 1850 H x 600 W x 650 D mm

iQ 500 Frost free freezer















Frost free upright freezer GS32NA91GB stainless steel

Hi-line design with stainless steel door and sides

Frost free system

Super freeze function

Visual and audible alarm

Precision temperature sensor for freezer, door status sensor, electronic control with LED display

Freezer section gross capacity: 253 litres/8.9 cu.ft

Transparent freezer drawers and upper compartments with flap openings

Interior light

'Big box' freezer drawer

Carrying handles for each drawer

Ice packs stored in door

3 hinged freezer compartments with flaps

Easy opening door handle

Removable magnetic door seal Right hinged reversible door

Annual running cost: £36.60

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1850 H x 600 W x 650 D mm



Undercounter larder fridge KT16RP22GB white

Softline design with white door and sides Glass worktop

Fridge section gross capacity: 153 litres/5.4 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with metal trim

1 shelf with split depth option to enable storage of tall items

Clip on bottle rack

Foamed in evaporator

Removable door storage compartments

2 salad drawers

Removable magnetic door seal

Right hinged reversible door

Removable heat resistant worktop - takes

height to 820 mm

Auto defrost function

Annual running cost: £13.56

CFC and HFC free

Energy efficiency rating A+

Energy efficiency recommended

Dimensions: 850 H x 600 W x 612 D mm

Side by side combination possible with freezer GS12DP22GB



Undercounter freezer GS12DP22GB white

Softline design with white door and sides Glass worktop

Super freeze function

Visual and audible alarm system

Freezer section gross capacity: 120 litres/4.2 cu.ft

Transparent freezer drawers and 1 compartment with flap opening

Interior door temperature gauge

Defrost water outlet

Individual freezing elements for each drawer

Removable magnetic door seal

Right hinged reversible door

Removable heat resistant worktop - takes height to 820 mm

Annual running cost: £21.48

CFC and HFC free

Energy efficiency rating A+

Energy efficiency recommended

Dimensions: 850 H x 600 W x 612 D mm

Side by side combination possible with fridge KT16RP22GB











Undercounter larder fridge KT16RP43GB stainless steel look

Softline design with stainless steel look Glass worktop

Fridge section gross capacity: 153 litres/5.4 cu.ft

bacteria**Kontrol**

Height adjustable safety glass shelves with metal trim

1 shelf with split depth option to enable storage of tall items

Clip on bottle rack

Foamed in evaporator

Removable door storage compartments

2 salad drawers

Removable magnetic door seal

Right hinged reversible door Removable heat resistant worktop - takes height to 820 mm

Auto defrost function

Annual running cost: £10.20

CFC and HFC free

Energy efficiency rating A++ up to 30% more energy efficient than an A+ rating

Energy efficiency recommended

Dimensions: 850 H x 600 W x 612 D mm

Side by side combination possible with freezer GS12DP42GB



Undercounter freezer GS12DP42GB stainless steel look

Softline design with stainless steel look Glass worktop

Super freeze function

Visual and audible alarm system

Freezer section gross capacity: 120 litres/4.2 cu.ft

Transparent freezer drawers and

Individual freezing elements for each drawer

Removable magnetic door seal

Right hinged reversible door Removable heat resistant worktop - takes height to 820 mm

1 compartment with flap opening

Interior door temperature gauge

Defrost water outlet

Annual running cost: £21.48

CFC and HFC free

Energy efficiency rating A+

Energy efficiency recommended

Dimensions: 850 H x 600 W x 612 D mm

Side by side combination possible with fridge KT16RP43GB









Static fridge freezer KG36VX47GB stainless steel look

Long door design with stainless steel look doors, sides and stainless steel handles

Internal fridge control

Fridge section gross capacity:

226 litres/8.0 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with anti-spill trim

Full width chrome bottle rack

Removable door storage compartments

Freezer section gross capacity: 100 litres/3.5 cu.ft

Transparent freezer drawers

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £24.96

CFC and HFC free

Energy efficiency rating A++ up to 30% more energy efficient than an A+ rating Dimensions: 1850 H x 600 W x 650 D mm

iQ 300 Frost free fridge freezers



Frost free fridge freezer KG33NX43GB stainless steel look

Long door design with stainless steel look doors, sides and stainless steel handles

Total climate**Kontrol** technology

Super freeze function

Fridge section gross capacity:

186 litres/6.6 cu.ft

bacteria**Kontrol**

Height adjustable safety glass shelves with metal trim

Chrome bottle rack (up to 2 bottles)

Butter dish

Multi-airflow cooling

Removable door storage compartments Humidity controlled salad drawers

Freezer section gross capacity: 85 litres/3.0 cu.ft

Frost free system

Transparent freezer drawers Ice pack storage facility in door

Berry tray in freezer drawer

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £40.08

CFC and HFC free

Energy efficiency rating A

Dimensions: 1700 H x 600 W x 610 D mm

Also available in white as model KG33NX03GB

- Specification as left except:
- White doors, sides and handles

Residue 100 Frost free fridge freezer



















Frost free fridge freezer

Long door design with stainless steel doors, sides and stainless steel handles

Fingerprint free

Total climateKontrol technology

KG34NX94GB stainless steel

Super freeze function

Internal fridge control

Fridge section gross capacity: 186 litres/6.6 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with anti-spill trim

Chrome bottle rack (up to 2 bottles)

Butter dish

Chiller tray

Multi-airflow cooling

Removable door storage compartments Humidity controlled salad drawers

Freezer section gross capacity: 115 litres/4.1 cu.ft

Frost free system

Transparent freezer drawers

Ice pack storage facility in door

Berry tray in freezer drawer

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £43.80

CFC and HFC free

Energy efficiency rating A

Dimensions: 1850 H x 600 W x 650 D mm

iQ 500 Frost free fridge freezers



Frost free fridge freezer KG34NA43GB stainless steel look

Long door design with stainless steel look doors, sides and stainless steel handles

Total climateKontrol technology

Super cool and super freeze function

Visual and audible alarm system

In-door, touch control electronic controls Instant response temperature sensors, climate equilibrium sensor, door status

Fridge section gross capacity: 186 litres/6.6 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with metal trim

Chrome bottle rack (up to 2 bottles)

Butter dish

Multi-airflow cooling

Removable door storage compartments Humidity controlled salad drawers

Twin krypton lights

Full width chiller compartment

airFresh filter in fridge

Freezer section gross capacity: 115 litres/4.1 cu.ft

Frost free system

Transparent freezer drawers with steel trim

Ice pack storage facility in door Berry tray in freezer drawer

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £35.40

CFC and HFC free

Energy efficiency rating A+ Dimensions: 1850 H x 600 W x 650 D mm

Also available in white as model KG34NA13GB

- Specification as left except:
- White doors, sides and stainless steel handles

Also available in black as model KG36NA53GB

- Specification as left except:
- Black doors, sides and stainless steel handles
- Larger fridge section
- Full width chrome bottle rack
- Metal can holder
- Fridge section gross capacity: 221 litres/7.8 cu.ft
- Freezer section gross capacity: 82 litres/2.8 cu.ft
- Annual running cost: £33.60

iQ 500 Frost free fridge freezer

























Frost free fridge freezer KG39NA93GB stainless steel

Long door design with stainless steel doors, sides and handles

Fingerprint free

Total climateKontrol technology Super cool and super freeze function Visual and audible alarm system

In-door, touch control electronic controls Instant response temperature sensors, climate equilibrium sensor, door status sensor

Fridge section gross capacity: 221 litres/7.8 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with metal trim

Full width chrome bottle rack

Metal can holder

Multi-airflow cooling

Butter dish

Removable door storage compartments Humidity controlled salad drawers

Twin krypton lights

Full width chiller compartment

airFresh filter in fridge

Freezer section gross capacity: 109 litres/3.8 cu.ft

Frost free system

Transparent freezer drawers with steel trim

Ice pack storage facility in door Berry tray in freezer drawer

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £36.96

CFC and HFC free

Energy efficiency rating A+

Dimensions: 2000 H x 600 W x 650 D mm

700 Frost free fridge freezer























Frost free fridge freezer KG49NP93GB stainless steel

Long door design with stainless steel doors, sides and long handle design

Total climateKontrol technology Super cool and super freeze function

Visual and audible alarm system Child lock

In-door, LCD electronic controls Instant response temperature sensors, climate equilibrium sensor, door status sensor

Fridge section gross capacity: 307 litres/10.8 cu.ft

bacteria Kontrol

Height adjustable safety glass shelves with metal trim

Full width chrome bottle rack

Chiller tray

Metal can holder

Multi-airflow cooling

Removable door storage compartments

Humidity controlled salad drawers Twin krypton lights

Full width chiller compartment

airFresh filter in fridge

Freezer section gross capacity:

96 litres/3.4 cu.ft

Frost free system

Transparent freezer drawers

Ice pack storage facility in door Berry tray in freezer drawer

Removable magnetic door seals Right hinged reversible doors

Annual running cost: £39.48

CFC and HFC free

Energy efficiency rating A+

Dimensions: 2000 H x 700 W x 650 D mm

700 coolMedia fridge freezer



















cool**Media** fridge freezer KG28FM50GB high gloss black

High gloss black finish

17" TV LCD display integrated behind glass door

In door touch controls with remote control for TV

In door electronic LED temperature control display

Super freeze function
Visual and audible alarm system

Fridge section gross capacity: 220 litres/7.8 cu.ft

bacteria **Kontrol**

Height adjustable safety glass shelves with metal trim

Full width chrome bottle rack

Removable door storage compartments in top compartment

Humidity controlled salad drawers

air**Vent** shelving to improve circulation ensuring food stays fresher for longer

- 2 electronic temperature controlled centre chiller compartments with 0°C setting
- 35 litre lower compartment for prolonged storage of fruit, vegetables and salads
- 25 litre upper compartment for prolonged storage of meat and fish

Freezer section gross capacity: 77 litres/2.7 cu.ft

Transparent freezer drawers

Removable magnetic door seals
Right hinged non reversible doors

Annual running cost: £33.72

CFC and HFC free

Energy efficiency rating A+

Dimensions: 1900 H x 636 W x 651 D mm

Available Autumn 2009

Product specifications for freestanding refrigeration

SIEMENS

Appliance type Design family	American fridges a	iQ 500	iQ 700	Upright freezers	iQ 300	iQ 500	iQ 500
	KA62DV50GB	KA62DA70GB	KA62DP90GB	GS24NA21GB	GS32NA21GB	GS32NA91GB	GS40NA300
Model number							
Colour	High gloss black	Stainless steel door	Stainless steel	White	White	Stainless steel	White
Description							
Long door design				•	•	•	•
External in-door LED electronic control and display	•						
External in-door LCD electronic control and display		•	•				
LED temperature display				•	•	•	•
Door hinging	Non reversible	Non reversible	Non reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversi
	1756	1756	1756	1550	1850	1850	1850
Appliance width ¹ mm	910	910	910	600	600	600	700
Appliance depth ¹ mm	761	761	761	650	650	650	750
Capacities							
Total gross capacity litres	616	570	570	201	253	253	346
Total net capacity litres	556	533	533	193	247	247	333
Fridge gross capacity litres	378	355	355				
Fridge net capacity litres	378	355	355				
Freezer gross capacity litres	213	200	200	201	253	253	346
Freezer net capacity litres	178	178	178	193	247	247	333
Fridge features and fittings							
bacteria Kontrol	•	•	•				
		-					
airFresh filter		•	•	-			
nternal fridge fan	•						
nternal multi airflow system	•	•	•				
Safety glass shelves	4	4	4				
Safety glass shelves with anti-spill trim							
Safety glass shelves with metal trim	•	•	•				
, ,	•			-			
Easy adjustable glass shelf		1	2				
Super cool function	•	•	•				
0°C compartment	•	•	•				
Temperature controlled drawer: 0°C, 2°C or 4°C	•	•	•				
Bottle rack		•	•				
		•	•				
Metal can dispenser							
Removable door seal				•	•	•	•
Krypton interior light							
Normal interior light	•	•					
LED interior light			•				
-			•				
Chiller tray							
Chiller compartment							
Deli drawer	•	•	•				
Number of egg racks	1	1	1				
Number of salad drawers	2	2	2				
Humidity controlled salad drawers	•	•	•				
,	•	•					
Easy adjustable door storage compartment			1				
Number of door storage compartments	5	5	5				
Freezer features and fittings							
Freezer star rating ²	4	4	4	4	4	4	4
Frost free freezer	•	•	•	•	•	•	•
		_		_	_	_	_
Water and ice dispenser	•	•	•				
Visual/audible alarm system	-1•	• / •	• 1 •	• / •	• 1 •	• / •	• / •
nterior light	•	•	•	•	•	•	•
Small freezer tray							
Super freeze function	•	•	•	•	•	•	•
•							
Transparent freezer drawers	•	•	•	•	•	•	•
Freezer drawers	2	2	2	5	8	8	8
big Box freezer drawer	•	•	•	•	•	•	•
Number of ice cube trays							
ce packs		•	•	•	•	•	•
•		12	12	20	20	20	24
Freezing capacity ³ kg/24 hrs	12		16	24	24	24	30
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs	12 16	16	10				
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs		16	10				
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Technical information	16	16		•	•	•	•
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free	16	•	•	● A+		• A+	
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵	16 • A	● A+	● A+	A+	A+	A+	A++
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh	16 • A 1.52	A+ 1.28	A+ 1.28	A+ 0.73	A+ 0.84	A+ 0.84	A++ 0.71
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵	16 A 1.52 557	A+ 1.28 465	A+ 1.28 467	A+ 0.73 267	A+ 0.84 305	A+ 0.84 305	A++ 0.71 260
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh	16 • A 1.52	A+ 1.28	A+ 1.28	A+ 0.73	A+ 0.84	A+ 0.84	A++ 0.71
Regize R	16 A 1.52 557	A+ 1.28 465	A+ 1.28 467	A+ 0.73 267	A+ 0.84 305	A+ 0.84 305	A++ 0.71 260
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Fwin evaporators	16 A 1.52 557 £66.84	A+ 1.28 465 £55.80	A+ 1.28 467 £56.04	A+ 0.73 267 £32.04	A+ 0.84 305 £36.60	A+ 0.84 305 £36.60	A++ 0.71 260 £31.20
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Twin evaporators Noise level dB (A) re 1 pW	16 A 1.52 557 £66.84 44	A+ 1.28 465 £55.80	A+ 1.28 467 £56.04	A+ 0.73 267 £32.04	A+ 0.84 305 £36.60	A+ 0.84 305 £36.60	A++ 0.71 260 £31.20
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Fechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Fivin evaporators Noise level dB (A) re 1 pW Climate class ⁷	16 A 1.52 557 £66.84 44 SN-ST	A+ 1.28 465 £55.80 •• 44 SN-T	A+ 1.28 467 £56.04 • 44 SN-T	A+ 0.73 267 £32.04 43 SN-T	A+ 0.84 305 £36.60 43 SN-T	A+ 0.84 305 £36.60 43 SN-T	A++ 0.71 260 £31.20 44 SN-T
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Frechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Fivin evaporators Noise level dB (A) re 1 pW Climate class ⁷ Voltage volts	16 A 1.52 557 £66.84 44 SN-ST 220-240	A+ 1.28 465 £55.80	A+ 1.28 467 £56.04 44 SN-T 220-240	A+ 0.73 267 £32.04 43 SN-T 220-240	A+ 0.84 305 £36.60 43 SN-T 220-240	A+ 0.84 305 £36.60	A++ 0.71 260 £31.20 44 SN-T 220-240
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Frechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Fivin evaporators Noise level dB (A) re 1 pW Climate class ⁷ Voltage volts	16 A 1.52 557 £66.84 44 SN-ST	A+ 1.28 465 £55.80 •• 44 SN-T	A+ 1.28 467 £56.04 • 44 SN-T	A+ 0.73 267 £32.04 43 SN-T	A+ 0.84 305 £36.60 43 SN-T	A+ 0.84 305 £36.60 43 SN-T	A++ 0.71 260 £31.20 44 SN-T
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Frechnical information CFC and HFC free Energy efficiency class ⁵ Energy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Fivin evaporators Noise level dB (A) re 1 pW Climate class ⁷ Voltage volts VDE/Safety approved	16 A 1.52 557 £66.84 44 SN-ST 220-240	A+ 1.28 465 £55.80 44 SN-T 220-240	A+ 1.28 467 £56.04 44 SN-T 220-240	A+ 0.73 267 £32.04 43 SN-T 220-240	A+ 0.84 305 £36.60 43 SN-T 220-240	A+ 0.84 305 £36.60 43 SN-T 220-240	A++ 0.71 260 £31.20 44 SN-T 220-240
Freezing capacity ³ kg/24 hrs Storage time in power failure ⁴ hrs Frechnical information CFC and HFC free Fenergy efficiency class ⁵ Finergy consumption per 24 hrs ⁶ kWh Fotal annual energy consumption kWh Approximate annual running cost (based on 12p per hour) Freim evaporators Freim dB (A) re 1 pW Climate class ⁷ Foltage volts Foltage volts Foltage volts	16 A 1.52 557 £66.84 44 SN-ST 220-240	A+ 1.28 465 £55.80 44 SN-T 220-240	A+ 1.28 467 £56.04 44 SN-T 220-240	A+ 0.73 267 £32.04 43 SN-T 220-240	A+ 0.84 305 £36.60 43 SN-T 220-240	A+ 0.84 305 £36.60 43 SN-T 220-240	A++ 0.71 260 £31.20 44 SN-T 220-240

• Yes, model has this feature.

¹ External appliance dimensions including handle.

For the full range of accessories please visit our online accessory shop on www.siemensappliances.co.uk or call our Spares Department on 0844 892 8921

 $^{^2}$ Freezer and deep frozen storage compartment at -18 $^{\circ}\text{C}$ or less.

³ This freezing capacity can only be achieved using the fast-freeze function at the intervals stipulated in the operating instructions.

⁴ Temperature rise time from -18°C to -9°C with appliance fully loaded, partial loading produces correspondingly lower times.

⁵ A++ = Best energy efficiency on the market, A+ = very economical, A-C = average.

⁶ Energy consumption in 24 hours according to DIN standard EN153 1990 edition.

Data quoted enables a comparison to be made between different appliances.

 $^{^{7}}$ Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone N = designed to operate in ambient temperature of +16°C to 32°C. Climate zone SN -ST = designed to operate in ambient temperature of +10°C to 38°C. Climate zone SN -T = designed to operate in ambient temperature of +10°C to 43°C.

⁸ Ensure that surrounding cabinets, walls and floors are capable of supporting a fully laden appliance.

Product specifications for freestanding refrigeration

SIEMENS

Product specifications for freestanding refrigeration

SIEMENS

Appliance type	Upright fridges	Upright fridges Undercounter freezers and fridges					Fridge-freezers Company of the Compa										
Design family	iQ 300	iQ 300	iQ 500	iQ 100	iQ 300	iQ 100	iQ 300	iQ 100	iQ 300	iQ 300	iQ 300	iQ 500	iQ 500	iQ 500	iQ 500	iQ 700	iQ 700
Model number	KS30RA00GB	KS38RA00GB	KS38RN95GB	GS12DP22GB	GS12DP42GB	KT16RP22GB	KT16RP43GB	KG36VX47GB	KG33NX03GB	KG33NX43GB	KG34NX94GB	KG34NA13GB	KG34NA43GB	KG36NA53GB	KG39NA93GB	KG49NP93GB	KG28FM50GB
Colour	White	White	Stainless steel	White	Stainless steel look	White	Stainless steel look	Stainless steel look	White	Stainless steel look	Stainless steel	White	Stainless steel look	Black	Stainless steel	Stainless steel	High gloss black
2 10											fingerprint free				fingerprint free		
Description		•						•		•		•	•	•	•		•
Long door design External in-door LED electronic control and display	•	_	•					 •	•	_	•	•	•	•	•	•	•
External in-door LCD electronic control and display												_	_	_	_	•	_
LED temperature display	•	•							•	•	•					_	
Door hinging	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right/reversible	Right
	mm 1550	1850	1850	850	850	850	850	1850	1700	1700	1850	1850	1850	1850	2000	2000	1900
Appliance width ¹	mm 600	600	600	600	600	600	600	600	600	600	600	600	600	600	600	700	636
Appliance depth ¹	mm 650	650	650	612	612	612	612	650	610	610	650	650	650	650	650	650	651
Capacities																	
	itres 289	357	357	120	120	153	153	326	271	271	301	301	301	303	330	403	297
	litres 287	355	355	97	97	152	152	316	252	252	280	280	280	287	315	389	269
	litres 289	357	357			153	153	226	186	186	186	186	186	221	221	307	220
	itres 287	355	355			152	152	225	186	186	186	186	186	221	221	307	216
	itres			120	120			100	85	85	115	115	115	82	109	96	77
. ,	litres			97	97			91	66	66	94	94	94	66	94	82	53
Fridge features and fittings		•				•	•			•		•	•	•	•	•	
bacteria Kontrol air Fresh filter	•	_	•			•	•	 •	•	_	•		•	•	•	•	
Internal fridge fan	•	•	•					-		-		_		_		_	•
Internal multi airflow system		+							•	•	•	•	•	•	•		
Safety glass shelves	6	7	7			4	4	4	4	4	3	3	3	3	3	4	4
Safety glass shelves with anti-spill trim	•	•	•					4		· ·	•				1 -		
Safety glass shelves with metal trim						•	•		•	•		•	•	•	•	•	•
Easy adjustable glass shelf																	
Super cool function	•	•										•	•	•	•	•	•
0°C compartment																	•
Temperature controlled drawer: 0°C, 2°C or 4°C																	
Bottle rack	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•
Metal can dispenser															•	•	
Removable door seal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Krypton interior light	•	•	•									•	•	•	•	•	
Normal interior light						•	•	 •	•	•	•						•
LED interior light											_					_	_
Chiller tray											•				_	•	•
Chiller compartment Deli drawer												•	•	•	•	•	
Number of egg racks	2	2	2			2	2	1	1	1	1	2	2	2	2	2	2
Number of egg racks Number of salad drawers	1	1	1			1	1	 1	2	2	2	2	2	2	2	2	2
Humidity controlled salad drawers	•	•	•					· ·	•	•	•	•	•	•	•	•	•
Easy adjustable door storage compartment		-									_						
Number of door storage compartments	5	6	6			4	4	4	3	3	3	3	3	3	3	4	3
Freezer features and fittings																	
Freezer star rating ²				4	4			4	4	4	4	4	4	4	4	4	4
Frost free freezer									•	•	•	•	•	•	•	•	
Water and ice dispenser																	
Visual/audible alarm system				• / •	• 1 •							• / •	• / •	• / •	• / •	• 1 •	• 1 •
Interior light																	
Small freezer tray									•	•	•	•	•	•	•	•	•
Super freeze function				•	•				•	•	•	•	•	•	•	•	•
Transparent freezer drawers				•	•			•	•	•	•	•	•	•	•	•	•
Freezer drawers bigBox freezer drawer								3	3	3	3	3	3	3	3	3	3
Number of ice cube trays								 1	1	1	1	2	2	2	2	2	1
Ice packs								 <u>'</u>	'	'	'	•	•	•	•	•	'
Freezing capacity ³ kg/2	1 hrs			19	19			5	8	8	10	10	10	8	14	18	18
Storage time in power failure ⁴	hrs			20	20			24	13	13	14	16	16	17	18	20	15
Technical information	-				20				.5	.,						20	.5
CFC and HFC free	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Energy efficiency class ⁵	A+	A+	A++	A+	A+	A+	A++	A++	A	A	A	A+	A+	A+	A+	A+	A+
	kWh 0.37	0.40	0.28	0.49	0.49	0.31	0.23	0.57	0.92	0.92	1.00	0.81	0.81	0.77	0.84	0.90	0.77
	kWh 135	144	103	179	179	113	85	208	334	334	365	295	295	280	308	329	281
Approximate annual running cost (based on 12p per	hour) £16.21	£17.30	£12.36	£21.48	£21.48	£13.56	£10.20	 £24.96	£40.08	£40.08	£43.80	£35.40	£35.40	£33.60	£36.96	£39.48	£33.72
Twin evaporators									•	•	•	•	•	•	•	•	3 evaporators
Noise level dB (A) re		39	40	38	38	38	38	42	42	42	42	43	43	45	44	42	42
Climate class ⁷	SN-T	SN-T	SN-T	SN	SN	SN-ST	SN	SN-T	SN-ST	SN-ST	SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
	volts 220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220
VDE/Safety approved	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Weight unpacked ⁸	kg 57	64	64	39	39	37	39	 70	66	66	72	77	77	70	73	91	65
Weight packed	kg 62	70	70	42	42	41	41	 75	71	71	78	83	83	74	77	94	72
Approx. packed dimensions H x W x D	mm 1630 x 670 x 750	1930 x 670 x 750	1930 x 670 x 750	930 x 660 x 680	930 x 660 x 680	930 x 660 x 680	930 x 660 x 680	1910 x 660 x 740	1910 x 660 x 740	1910 x 660 x 740	1910 x 670 x 730	1910 x 660 x 740	1910 x 660 x 740	1950 x 660 x 690	2100 x 660 x 690	2050 x 760 x 700	1830 x 660 x 7

• Yes, model has this feature.

For the full range of accessories please visit our online accessory shop on www.siemensappliances.co.uk or call our Spares Department on 0844 892 8921

¹ External appliance dimensions including handle.

² Freezer and deep frozen storage compartment at -18°C or less.

 $^{^{\}rm 3}$ This freezing capacity can only be achieved using the fast-freeze function at the intervals stipulated in the operating instructions.

 $^{^4}$ Temperature rise time from -18°C to -9°C with appliance fully loaded, partial loading produces correspondingly lower times.

 $^{^{5}}$ A++ = Best energy efficiency on the market, A+ = very economical, A-C = average.

⁶ Energy consumption in 24 hours according to DIN standard EN153 1990 edition. Data quoted enables a comparison to be made between different appliances.

⁷ Climate zone SN = designed to operate in ambient temperature of +10°C to 32°C. Climate zone N = designed to operate in ambient temperature of +16°C to 32°C. Climate zone SN -ST = designed to operate in ambient temperature of +10°C to 38°C. Climate zone SN -T = designed to operate in ambient temperature of +10°C to 43°C.

⁸ Ensure that surrounding cabinets, walls and floors are capable of supporting a fully laden appliance.